


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#) Google[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 1,210,000 for gui map test case script. (0.14 seconds)

QA (Software Testing) Training in Houston, Texas Starting on June 23rd

Test case coverage Characteristics of a useful **test case** ... Using the Rapid **Test Script** Wizard How the startup **script** works **GUI Map** Maintenance and ...
www.thejobplanet.com/index.php?post_id=3139 - 32k - [Cached](#) - [Similar pages](#)

Mercury WinRunner Evaluation

Mercury WinRunner did support **test case** design, automation, and execution ... The most effective way to construct and **test a GUI map** was to **map** against the ...
www.devbistro.com/articles/Testing/Mercury-WinRunner-Evaluation - 14k - [Cached](#) - [Similar pages](#)

Mercury QuickTest Professional (QTP) Evaluation

This was combined with a disciplined approach to **Test Case** Design and software ... The most effective way to construct and **test a GUI map** was to **map** against ...
www.devbistro.com/articles/Testing/Mercury-QuickTest-Professional-Evaluation - 14k - [Cached](#) - [Similar pages](#)

QA SOFTWARE TRAINING AND PLACEMENT

Real Manual Testing Projects, FRS, SDS, **Test Plan**, **Test Case**, **Test Summary** ... Loading and unloading a **GUI Map** file 3.0 Synchronizing **Script** and Application ...
cnj.craigslislist.org/cls/342378443.html - [Similar pages](#)

Hot demand for testers in the GTA: Software Testing Training ...

Test case coverage Characteristics of a useful **test case** ... Two methods for **GUI Map** maintenance Using the Rapid **Test Script** Wizard ...
toronto.kijiji.ca/c-services-computer-Hot-demand-for-testers-in-the-GTA-Software-Testing-Training-W0QQAdl... - 40k - [Cached](#) - [Similar pages](#)

Software Testing - Testing Tools » 2006 » October

Each time Win Runner encounters a checkpoint in the **test script**, ... **GUI Map** File per **Test**: Win Runner automatically creates a **GUI Map** file for each **test** ...
www.bugtest.info/2006/10/ - 43k - [Cached](#) - [Similar pages](#)

Software Testing - Testing Tools » Win Runner Interview Questions

And if it is automated **script** then TestDirector will build a skeleton for the ... **GUI Map** File per **Test**: WinRunner automatically creates a **GUI Map** file for ...
www.bugtest.info/category/win-runner-interview-questions/ - 43k - [Cached](#) - [Similar pages](#)
[[More results from www.bugtest.info](#)]

KRISHNA Training-Proud to be a first QA training institute in VIRGINIA

Ø Two methods for **GUI Map** maintenance Ø Using the Rapid **Test Script** Wizard ... Ø **Test case** graphs and reports **Test** Sets and **Test** Execution Creating **test** ...
tggsinc.com/TRAINING/add.htm - 74k - [Cached](#) - [Similar pages](#)

Welcome to Upani Consultants Limited

Using the Rapid **Test Script** Wizard How the startup **script** works **GUI Map** ... Adding **Test** Requirements Create Tests Executing the **test cases** manually ...
www.upaniconsultants.com/upani_training.htm - 12k - [Cached](#) - [Similar pages](#)

Setting Runtime Options

Play Speed - To play the recorded Web **test cases** with same speed as that of ... Use Suite Level **GUI Map** - To use a global **map** file for the entire Suite, ...
www.adventnet.com/products/qengine/

<http://www.google.com/search?hl=en&q=gui+map+test+case+script>

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)

Google

gui map

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 17,800,000 for **gui map**. (0.15 seconds)**Test Automation : What is the difference between GUI MAP and GUI ...**

Test Automation Test Automation Test Automation: What is the difference between **GUI MAP** and **GUI MAP** File? **GUI MAP**: contains **GUI MAP** Files**GUI MAP** FILE: 1.
www.geekinterview.com/question_details/21970 - 42k - [Cached](#) - [Similar pages](#)

Testing Scenarios : Lets say we have an GUI map and scripts, a we ...

Testing Scenarios Testing Scenarios Testing Scenarios: Lets say we have an **GUI map** and scripts, a we got some 5 new pages included in an application how do ...
www.geekinterview.com/question_details/16248 - 39k - [Cached](#) - [Similar pages](#)
[\[More results from www.geekinterview.com \]](#)

Interview questions on WinRunner | TechInterviews.com ...

Create **GUI Map** File so that WinRunner can recognize the **GUI** objects in the ... WinRunner uses the **GUI Map** file to recognize objects on the application. ...
www.techinterviews.com/?p=195 - 151k - Jun 14, 2007 - [Cached](#) - [Similar pages](#)

GUI map

GUI map. Click on the *.py links to view the class documentation, and on the image's areas to access the corresponding children classes. Main window ...
www.esrf.eu/computing/bliss/gui/artemis/tech_doc/pages/GUI_map.htm - 10k - [Cached](#) - [Similar pages](#)

Understanding GUI Map File

QEngine also obtains the names and other properties of the HTML objects recorded and adds them into a repository called **GUI Map**. This file contains the ...
www.adventnet.com/products/qengine/help/context_sensitive_help/editing_mapfile.html - 17k - [Cached](#) - [Similar pages](#)

XPilot Map Editor free download. A freeware XPilot GUI map editor ...

XPilot **Map** Editor free download. A freeware XPilot **GUI map** editor. Draw an XPilot **map** and set any of the XPilot game parameters.
www.freedomdownloadcenter.com/Games/Gaming_Uilities/XPilot_Map_Editor.html - 25k - [Cached](#) - [Similar pages](#)

TestSmith Object Maps

A **GUI map** is a representation of a main frame window. The **map** is created as a text file in the **/Maps** sub-directory of the main TestSmith directory. ...
qualityforge.com/testsmith/userguide/maps.html - 5k - [Cached](#) - [Similar pages](#)

Index of /gui/map

Index of **/gui/map**. Parent Directory · [cartographic_data.tar.gz](#) · [cartographic_tar.txt](#) · [readme_file.txt](#).
wrf-model.org/gui/map/ - 1k - [Cached](#) - [Similar pages](#)

How to create a custom map background file for use with the WRF SI ...

McCaslin@noaa.gov 05 Nov 2003 # # The **gui** creates background **maps** by reading in vector lat/lon ... Download the WRF SI **GUI map** conversion software # from: ...
www.wrf-model.org/gui/map/readme_file.txt - 4k - [Cached](#) - [Similar pages](#)

Quantum GIS Forum :: View topic - GUI:map legend

Every attempt to drag and drop is useless: the width of **map** legend remain zero, it seems to be glued at the left **GUI** border. ...
forum.qgis.org/viewtopic.php?p=934 - 26k - [Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)[Google](#)

gui map winrunner pdf

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 21 - 30 of about 17,200 for **gui map winrunner pdf**. (0.15 seconds)**[PDF] [Advanced WinRunner 8.2](#)**File Format: PDF/Adobe Acrobat - [View as HTML](#)Quick Review of Using **WinRunner**. Recording, synchronizing, verifying, and running scripts ; The **GUI Map** ; Data-. driving. • TSL (Test Script Language) ...[www.ctg.com/testing/graphics_images_etc/Advanced-WinRunner.pdf](#) - [Similar pages](#)**[PDF] [Introduction to WinRunner 7.5](#)**File Format: PDF/Adobe Acrobat - [View as HTML](#)Introduction to **WinRunner 7.5**. This course will teach students the fundamentals of how ...Creating a **GUI Map** file. • Loading and unloading a **GUI Map** file ...[www.firstcontactconsult.com/documents/training_info/Introduction%20to%20WR%](#)[207_5.pdf](#) - [Similar pages](#)**[Products - Mercury Functional Testing: WinRunner™ How it Works](#)**Instead, they can apply changes to the **GUI Map**, a central repository of test-related information, ... Data Sheet. Mercury **WinRunner** (212 KB) **PDF** ...[www.mercury.com/us/products/quality-center/functional-testing/winrunner/works.html](#) - 13k- [Cached](#) - [Similar pages](#)**[PDF] [Deconstructing](#)**File Format: PDF/Adobe Acrobat - [View as HTML](#)and many tools support them:. **GUI maps (WinRunner)**. Window declarations (SilkTest).Application **maps** (Certify). Other tools can be extended to employ ...[www.io.com/~wazmo/papers/deconstructing_gui_test_automation.pdf](#) - [Similar pages](#)**[PDF] [Course Content for QA, Testing Tools](#)**File Format: PDF/Adobe Acrobat - [View as HTML](#)Basics of **Win Runner**. a) **WinRunner** Test Process. b) Recording Modes. c) Rapid Test Script Wizard. 2.3. **GUI Map**. a) **GUI Spy**. b) **GUI Map** Editor ...[www.nitsusa.com/Course_content_for_Testing_Tools.pdf](#) - [Similar pages](#)**[QualTech International - Services](#)****WinRunner** records user actions and application responses to create scripts which can be ... Creating a **GUI Map** file Loading and unloading a **GUI Map** file ...[www.qualtech-int.com.au/qtinfo/qti_services_trn_mentoring_WR_INTRO.php](#) - 19k- [Cached](#) - [Similar pages](#)**[PDF] [WinRunner Tutorial](#)**

File Format: PDF/Adobe Acrobat

Lesson 2, Setting Up the **GUI Map** explains how **WinRunner** identifies **GUI** BooksOnline displays the complete documentation set in **PDF** format. Online ...[www.csee.usf.edu/~njayacha/web/edu/automation/wr_tut.pdf](#) - [Similar pages](#)**[PDF] [Towards Self-Testing of Component-Based Software](#)**

File Format: PDF/Adobe Acrobat

The **GUI Map** Editor of **WinRunner** includes a fea-. ture for saving of a recorded window and its objects as. a textual **GUI** file. ...[ieeexplore.ieee.org/iel5/10076/32309/01508111.pdf?arnumber=1508111](#) - [Similar pages](#)**[PDF] [Automated Test Tools Evaluation Criteria](#)**File Format: PDF/Adobe Acrobat - [View as HTML](#)(a) Changes to the **GUI map (WinRunner)**, **GUI** declarations (Silk) or the equivalent in other. tools? (b) Changes to testcase code? ...<http://www.google.com/search?q=gui+map+winrunner+pdf&hl=en&start=20&sa=N>

6/15/2007

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S13	11	717/124.ccls. (script\$4 near4 (language or file or test\$4)) (test adj case) (test adj script) (((graphical\$4 or object or gui) near4 map\$4) or winrunner or loadrunner)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/15 12:03
S12	10	717/124.ccls. (script\$4 near4 (language or file or test\$4)) (test adj case) (test adj script) ((graphical\$4 or object or gui) near4 map\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/15 12:02
S11	44	717/124.ccls. (script\$4 near4 (language or file or test\$4)) (test adj case) (test adj script)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/15 12:02
S10	59	717/124.ccls. (script\$4 near4 (language or file or test\$4)) (test adj case)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/15 12:01
S9	39	717/124.ccls. (script\$4 near4 (language or file)) (test adj case)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/15 11:59
S3	17	(test adj case) (test adj script) (winrunner or loadrunner) graphic\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/15 11:58
S8	17	((gui or graphical\$4) near6 map\$4) (test adj (script case)) (play\$4 or re\$1play\$4 or (play\$4 adj2 back)) (record\$4 with (map\$4 or script\$4 or case))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/14 16:38
S7	19	((gui or graphical\$4) near6 map\$4) (test adj (script case)) (play\$4 or re\$1play\$4 or (play\$4 adj2 back)) record\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/14 16:37
S6	19	((gui or graphical\$4) near6 map\$4) (test adj (script case)) (play\$4 or re\$1play\$4 or (play\$4 adj2 back) or.record\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/14 16:37

EAST Search History

S5	20	((gui or graphical\$4) near6 map\$4) (test adj (script case))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/14 16:36
S2	207	(test adj case) (test adj script) (winrunner or loadrunner or graphic\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/14 16:16
S1	17	(test adj case) (test adj script) ((test adj case) near8 script\$4) (case with record\$4 with (run\$4 or execut\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/14 16:15